



EBAC is a family-owned company born in 1978, specialized in the **printing of adhesive tapes** on contract basis. In the following years, it opened up to searching and developing direct customers by evolving its product range with **packaging items**, and further on innovating with the new production line of **promotional and warning tapes** for delimitation, complemented with **advertising banners, flags and promotional items** for the company image.

Our manufacturing flexibility allows us to meet and supply even the smallest requests.

GENERIC AND CUSTOMIZED WARNING TAPES	PAG. 3
PROMOTIONAL BARRIER TAPES	PAG. 4
BIODEGRADABLE AND BIOCOMPOSTABLE WARNING AND ADVERTISING TAPES	PAG. 5
NON-WOVEN WARNING AND PROMOTIONAL BARRIER TAPES	PAG. 6
WARNING TAPES FOR PIPES AND UNDERGROUND CABLES	PAG. 7
DETECTABLE WARNING TAPES FOR PIPES AND UNDERGROUND CABLES with double steel wire.....	PAG. 8
with metal band.....	PAG. 9
PROMOTIONAL BARRIER TAPES FOR DOG SHOWS	PAG. 10

GENERIC AND CUSTOMIZED WARNINGTAPES

STANDARD WARNING TAPE

Description and characteristics:


Safety temporary delimitation

Low-density polyethylene (LDPE)

Packaging: loose rolls in cartons or single mini boxes

Art. no	Thickness	Height	Length	Color
NSBR70200	MM 0,03	MM 70	MT. 200	B/R - G/N
NSBR70500	MM 0,03	MM 70	MT. 500	B/R - G/N

Other sizes, colors and thicknesses available on request



TEAR-PROOF WARNING TAPE

Description and characteristics:

Safety temporary delimitation

Excellent tear and elongation resistance

High-density polyethylene (HDPE)

Customizable on request

Packaging: loose rolls in cartons or single mini boxes

Art. no	Thickness	Height	Length	Color
NSBRHD200	MM 0,03	MM 70	MT. 200	B/R
NSBRHD500	MM 0,03	MM 70	MT. 500	B/R

Other sizes, colors and thicknesses available on request



REFLECTIVE BARRIER TAPE

Description and characteristics:

Safety temporary delimitation

High visibility both night and day (by refraction-reflection)

Low-density polyethylene (LDPE)

Customizable on request

Packaging: loose rolls in cartons or single mini boxes

Art. no	Thickness	Height	Length	Color
NSBRRIF250	MM 0,05	MM 75	MT. 250	B/R

Other sizes, colors and thicknesses available on request



CUSTOMIZED WARNING TAPE

Description and characteristics:

Safety temporary delimitation

Low-density polyethylene (LDPE)

Standard customization in black

Packaging: loose rolls in cartons or single mini boxes

Art. no	Thickness	Height	Length	Color
NSBRST	MM 0,03	MM 70	MT. 200	B/R + ST.
NSBRST	MM 0,05	MM 75-80-100	MT. 200-250-500	B/R + ST.
NSBRST	MM 0,08	MM 75-80-100	MT. 200-250-500	B/R + ST.
NSBRST	MM 0,10	MM 75-80-100	MT. 200-250-500	B/R + ST.


Other sizes, colors and thicknesses available on request



PROMOTIONAL BARRIER TAPES

for the delimitation of sports and amateur events

Ctape colors:



Print:

1 to 8 colors on only one side
1 to 4 colors on both sides

Rolls size:

Height (mm): 50 – 70 – 75 – 80 – 100 – 120 – 150 – 200
Length (m): 200 – 250 – 500
Other sizes on request

Material thickness:

0,03 mm (basic) thin – 0,05 mm medium – 0,08 mm medium thick
0,10 mm thick – Greater thicknesses on request

Minimum quantity:

From 4.000 m – rolls H: 100 mm – thickness: 0,05 and 0,08 mm

Printing plates:

To be defined according to print length and colors

Packaging:

Cardboard boxes

Printing files required:

PDF – AI – EPS

Positive print (inner side)



Positive print on colored material (inner side)



Print on solid color and negative backgrounds (full-breed)



Double-sided print





"MATER B" BIODEGRADABLE AND BIOCOMPOSTABLE WARNING AND ADVERTISING TAPES

Tape color:

White or colorable tape with print on demand

Print:

1 to 8 colors on only one side

Rolls size:

Height (mm): 50 - 70 - 75 - 80 - 100 - 120 - 150 - 200

Length (m): 100 - 200 - 250 - 500

Other sizes on request

Material thickness:

0,03 mm (medium)

0,05 mm (medium)

0,08 mm (medium thick)

Minimum quantity:

From 20.000 m - thickness: 0,08 mm - height: 100 mm

Printing plates:

To be defined according to print length and number of colors

Packaging:

Cardboard boxes

Printing files required:

PDF - AI - EPS



**THE CHARACTERISTICS OF THIS BIODEGRADABLE,
BIOCOMPOSTABLE ITEM DO NOT AUTHORIZE TO ABANDON IT
TO THE ENVIRONMENT AFTER USE.**

**THE PRODUCT MUST BE DISPOSED OF IN APPROPRIATE
CONTAINERS FOR THE COLLECTION OF ORGANIC WASTE.**

NON-WOVEN WARNING AND PROMOTIONAL BARRIER TAPES

Tape color:

No color limitation

Print:

HQ digital print with no color limitation

Standard rolls size:

Height (mm): 100 - 150 - 200 - 300 - 400

Length (m): 50

Minimum production quantity:

h. mm 100 - 1600 mt.

h. mm 150 - 1000 mt.

h. mm 200 - 800 mt.

h. mm 300 - 500 mt.

h. mm 400 - 500 mt.

Packaging:

Clear bags

Printing files required

PDF - AI - EPS



WARNING TAPES FOR PIPES AND UNDERGROUND CABLES


The warning tape for pipes and underground cable is crucial when digging in order to avoid breaking pipes and cables. Made of pure low-density polyethylene with brilliant colors to ensure a high visibility to the workers during the digging phase, this tape is elastic and break-resistant according to the provided thickness.

Both the warning tape and the print (standard black color) can resist to the alkaline and acidic soil constituents for a long time.

Material:

Low-density polyethylene (LDPE)

Available colors:



Print:

Black

Standard rolls size:


Width: 100-200 mm – Length: 200-500 m – Thickness: 0,04-0,08 mm
Other sizes, colors and thicknesses available on request



DETECTABLE WARNING TAPES FOR PIPES AND UNDERGROUND CABLES WITH DOUBLE STEEL WIRE

The tape for the signaling and detection of underground cables is essential when digging in order to avoid breaking pipes and/or cables and to detect their direction and depth by means of ultrasound equipment and utility locators.


It is realized in pure low-density polyethylene with brilliant colors to ensure a high visibility and an easy detection during the digging phase; the steel wires are Aisi 304 grade and have a thickness of 0,5 mm; both the wires and the (standard black) print can resist to the alkaline and acidic soil constituents because they are protected by a clear PP film.



Material:

Low-density polyethylene (LDPE)

Available colors:



Print:

Black

Standard rolls size:

Width: 50 – 100 – 200 – 300 – 400 mm – Length: 100 – 150 – 200 m – Thickness: 0,04-0,08 mm
Other sizes, colors and thicknesses available on request

Coupling:


Steel wires – Copper wires – Nylon wires
Clear polypropylene (PP) protective film



DETECTABLE WARNINGTAPES FOR PIPES AND UNDERGROUND CABLES WITH METAL BAND

The tape for the signaling and detection of underground cables is essential when digging in order to avoid breaking pipes and/or cables, and can be easily detected by means of ultrasound equipment and utility locators.


It is realized in pure low-density polyethylene with brilliant colors to ensure a high visibility and an easy detection during the digging phase; the band, realized with a pure aluminium foil, is coupled to the tape and covered on the back side with a corrosion-resistant polyether film.



Material:

Low-density polyethylene (LDPE)

Available colors:



Print:


Black

Standard rolls size:

Width: 50 – 100 – 200 – 300 – 400 mm – Length: 100-150 m – Thickness: 0,04-0,08 mm
Other sizes, colors and thicknesses available on request

Coupling :

Protected aluminium foil metal band
Clear polyether (PET) protective film



PROMOTIONAL BARRIER TAPES FOR DOG SHOWS

Customized barrier tapes are a powerful advertising instrument used in dog shows to delimit the stages of the different dog breeds being exposed and to promote foods, products and equipment for the dog world.

These banners are printed on either one or both sides with up to 8 colors, including images.

Rolls size:

FOIL: H (MM): 100, 150, 200, 225, 300, 350, 400, 500, 600, 700

ONE-FOLD: H (MM): 100, 150, 200, 225, 300, 350, 400, 500, 600, 700

Customization:

1 to 8 colors or CMYK, on either one or both sides

Material thickness:

0,05 mm (medium) – 0,08 (medium thick) – 0,10 mm (thick)

ONE-FOLD FANCING BANNER

Open on one side for an easy set up on barriers, fences or supporting ropes .



FOIL FANCING BANNER

To be set up with hooks, pins or adhesive strips.



Esempi colori stampa



1 COLOR



2 COLORS



3 COLORS



CMYK



SPECIAL COLORS



24020 **CASNIGO** (Bg) - Via Serio, 10 - Tel. +39 **035 724265** - ebac@ebac.it

www.ebac.it
www.nastrisegnaletici.it
www.barrier-tapes.com
www.striscionipubblicitari.it
www.rubansignalisation.com